


Using instruction:

To extend the longevity of product, please read this instruction carefully before use:




Solution to small issues:

Malfunction	Reason	Solution
The sofa is not stable after placement	Four feet not evenly landed	Flatten the bottom of the sofa with a hard material
Movable parts are flexible	The connection is loose or lack lubricating oil	Tighten the screws and add some lubricating oil
Sofa creaks	The sofa feet rubs with ground	Add leather pad beneath feet
The leather or fabric surface is loose and crumpled	Squeeze during transportation	Gently pat on the leather/fabric surface to restore the outlook

Assembly instruction:

- Please determine the location of your furniture before assembly to avoid moving them for a large distance after being assembled.
- Do not place your furniture in dark and damp or hot and dry environment.
- Please check the number of packaging bags, view the product installation manual and verify the product structure.
- Please check the direction of each part when unpacking them before installation.
- Please install the product patiently. Make sure each part is in the right position. Furniture is easy to assemble, but it needs patience and care to make every part in place.
- Please check the stability of the furniture after installation. Shake your furniture gently to confirm whether it is level with the ground or whether the screw is tight.
- Please keep the furniture open for a period of time to release residual painting smell.

Note:



Sunon 圣奥

Q/SAYF-BD051V1.0

Using instruction:


Thanks for buying this product. Please read this instruction carefully before use

Product introduction

Code : 155500001
Name : SC61.3.CN.G
Dimension : 1900*800*820*420
Material : Premium plywood, genuine leather, fabric, hardware
Standard : QQB/T 1952.1-2012 Soft furniture Sofa
HJ 2547-2016 Technological requirements of environment-labelled product Furniture

This product and the decorative accessories are for office use.

Zhejiang Sunon Furniture Manufacture Co., Ltd
Service Hotline: 4008-600-666
Website: www.sunon-china.com
Headquarters Address: Sunon Central Buisness Building, No. 200 Citizen Street, Qianjiang CBD, Hangzhou, Zhejiang
Manufacturing Base: No. 35, Ningdong Road, Economic and Technological Development Zone, Xiaoshan District, Hangzhou, Zhejiang
Manufacturing Base: No. 6, Anren Road, Jianshan Economic and Technological Development Zone, Haining, Jiaxing, Zhejiang



Material:



surface	genuine leather	Premium leather, lustrous, airy, soft and resilient.
	water-based leather/ faux leather	Colorful and diversified.
	hemp soft cloth	Flame retardant, stain resistant, and not easily deformed.
filling	resilient foam	Of moderate hardness, resilient and not easily deformed.
	Latex foam	Natural Latex foam, resilient and comfortable.
	PP foam	Soft, smooth, resilient.
	silk wadding	Even and smooth.
	down	Good quality, resilient, temperature regulation function(contract and expand according to temperature).
other material	solid wood	Natural larch/masson pine wood, water contents≤12%, not easily deformed.
	artificial panel	Formaldehyde emission complies with the E0-grade of GB18580-2017.
	spring	Snake-shape spring steel wire is 3.0mm-4.0mm in diameter, resilient and meets national standard.
	toughened steel wire	Toughened steel wire is 4.0mm-6.0mm in diameter.
	aslant wood piece	The paint meets national standard, good heat resistance, strong adhesion and excellent impact resistance.
	hardware	A-level accessory, lightweight, durable and safe.

Warranty:

Sunon strictly complies with the national "three guarantees" policy (glass and mirror are not included). The warranty lasts one year (specials are not included), responses will be given within 24 hours.

- The warranty is only valid in China.
- Damage caused by improper use is not covered by the warranty.
- Damage caused by fire or natural disasters is not covered by the warranty.


Dimension:




Please be subject to the actual products.
No further notice will be given with regard to changes.

Assembly instruction:


Function introduction:



a	b	c	d
 Cross flat-head screw M8*30 16PCS			
	Steel feet 2PCS		

Using instruction:

To extend the longevity of product, please read this instruction carefully before use:




Solution to small issues:

Malfunction	Reason	Solution
The sofa is not stable after placement	Four feet not evenly landed	Flatten the bottom of the sofa with a hard material
Movable parts are flexible	The connection is loose or lack lubricating oil	Tighten the screws and add some lubricating oil
Sofa creaks	The sofa feet rubs with ground	Add leather pad beneath feet
The leather or fabric surface is loose and crumpled	Squeeze during transportation	Gently pat on the leather/fabric surface to restore the outlook

Assembly instruction:

- Please determine the location of your furniture before assembly to avoid moving them for a large distance after being assembled.
- Do not place your furniture in dark and damp or hot and dry environment.
- Please check the number of packaging bags, view the product installation manual and verify the product structure.
- Please check the direction of each part when unpacking them before installation.
- Please install the product patiently. Make sure each part is in the right position. Furniture is easy to assemble, but it needs patience and care to make every part in place.
- Please check the stability of the furniture after installation. Shake your furniture gently to confirm whether it is level with the ground or whether the screw is tight.
- Please keep the furniture open for a period of time to release residual painting smell.

Note:




Sunon 圣奥

Q/SAYF-BD051V1.0

Thanks for buying this product. Please read this instruction carefully before using.

Product introduction

Code : 155500002
Name : SC61.1.CN.G
Dimension: 790*800*820*420
Material : Premium plywood, genuine leather, fabric, hardware
Standard : QQB/T 1952.1-2012 Soft furniture Sofa
HJ 2547-2016 Technological requires of environment-labelled product Furniture



This product and the decorative accessories are for office use.

Zhejiang Sunon Furniture Manufacture Co., Ltd
Service Hotline: 4008-600-666
Website: www.sunon-china.com
Headquarters Address: Sunon Central Buisness Building, No. 200 Citizen Street, Qianjiang CBD, Hangzhou, Zhejiang
Manufacturing Base: No. 35, Ningdong Road, Economic and Technological Development Zone, Xiaoshan District, Hangzhou, Zhejiang
Manufacturing Base: No. 6, Anren Road, Jianshan Economic and Technological Development Zone, Haining, Jiaxing, Zhejiang

Material:


surface	genuine leather	Premium leather, lustrous, airy, soft and resilient.
	water-based leather/ faux leather	Colorful and diversified.
	hemp soft cloth	Flame retardant, stain resistant, and not easily deformed.
filling	resilient foam	Of moderate hardness, resilient and not easily deformed.
	Latex foam	Natural Latex foam, resilient and comfortable.
	PP foam	Soft, smooth, resilient.
	silk wadding	Even and smooth.
	down	Good quality, resilient, temperature regulation function(contract and expand according to temperature).
other material	solid wood	Natural larch/masson pine wood, water content≤12%, not easily deformed.
	artificial panel	Formaldehyde emission complies with the E0-grade of GB18580-2017.
	spring	Snake-shape spring steel wire is 3.0mm-4.0mm in diameter, resilient and meets national standard.
	toughened steel wire	Toughened steel wire is 4.0mm-6.0mm in diameter.
	aslant wood piece	The paint meets national standard, good heat resistance, strong adhesion and excellent impact resistance.
	hardware	A-level accessory, lightweight, durable and safe.

Warranty:

Sunon strictly complies with the national "three guarantees" policy (glass and mirror are not included). The warranty lasts one year(specials are not included), responses will be given within 24 hours.

- The warranty is only valid in China.
- Damage caused by improper use is not covered by the warranty.
- Damage caused by fire or natural disasters is not covered by the warranty.



Dimension:





Please be subject to the actual products.
No further notice will be given with regard to
changes.

Assembly instruction:


Function introduction:



a	b	c	d
 cross flat-head screw M6*30 16PCS	 metal leg 2PCS		

Using instruction:

To extend the longevity of product, please read this instruction carefully before use:




Solution to small issues:

Malfunction	Reason	Solution
The sofa is not stable after placement	Four feet not evenly landed	Flatten the bottom of the sofa with a hard material
Movable parts are flexible	The connection is loose or lack lubricating oil	Tighten the screws and add some lubricating oil
Sofa creaks	The sofa feet rubs with ground	Add leather pad beneath feet
The leather or fabric surface is loose and crumpled	Squeeze during transportation	Gently pat on the leather/fabric surface to restore the outlook

Assembly instruction:

- Please determine the location of your furniture before assembly to avoid moving them for a large distance after being assembled.
- Do not place your furniture in dark and damp or hot and dry environment.
- Please check the number of packaging bags, view the product installation manual and verify the product structure.
- Please check the direction of each part when unpacking them before installation.
- Please install the product patiently. Make sure each part is in the right position. Furniture is easy to assemble, but it needs patience and care to make every part in place.
- Please check the stability of the furniture after installation. Shake your furniture gently to confirm whether it is level with the ground or whether the screw is tight.
- Please keep the furniture open for a period of time to release residual painting smell.

Note:



Q/SAYF-BD051V1.0


Sunon 圣奥

Using instruction:

Thanks for buying this product. Please read this instruction carefully before use

Product introduction

Code : 155500003
 Name : SC61.3.CN.M
 Dimension: 1900*800*820*420
 Material : Premium plywood, genuine leather, fabric, hardware
 Standard : QQB/T 1952.1-2012 Soft furniture Sofa
 HJ 2547-2016 Technological requires of environment-labelled product Furniture



This product and the decorative accessories are for office use.

Zhejiang Sunon Furniture Manufacture Co., Ltd
 Service Hotline: 4008-600-666
 Website: www.sunon-china.com
 Headquarters Address: Sunon Central Buisness Building, No. 200 Citizen Street, Qianjiang CBD, Hangzhou, Zhejiang
 Manufacturing Base: No. 35, Ningdong Road, Economic and Technological Development Zone, Xiaoshan District, Hangzhou, Zhejiang
 Manufacturing Base: No. 6, Anren Road, Jianshan Economic and Technological Development Zone, Haining, Jiaxing, Zhejiang

Material:



surface	genuine leather	Premium leather, lustrous, airy, soft and resilient.
	water-based leather/ faux leather	Colorful and diversified.
	hemp soft cloth	Flame retardant, stain resistant, and not easily deformed.
filling	resilient foam	Of moderate hardness, resilient and not easily deformed.
	Latex foam	Natural Latex foam, resilient and comfortable.
	PP foam	Soft, smooth, resilient.
	silk wadding	Even and smooth.
	down	Good quality, resilient, temperature regulation function(contract and expand according to temperature).
other material	solid wood	Natural larch/masson pine wood, water contents≤12%, not easily deformed.
	artificial panel	Formaldehyde emission complies with the E0-grade of GB18580-2017.
	spring	Snake-shape spring steel wire is 3.0mm-4.0mm in diameter, resilient and meets national standard.
	toughened steel wire	Toughened steel wire is 4.0mm-6.0mm in diameter.
	aslant wood piece	The paint meets national standard, good heat resistance, strong adhesion and excellent impact resistance.
	hardware	A-level accessory, lightweight, durable and safe.

Warranty:

Sunon strictly complies with the national "three guarantees" policy (glass and mirror are not included). The warranty lasts one year(specials are not included), responses will be given within 24 hours.

- The warranty is only valid in China.
- Damage caused by improper use is not covered by the warranty.
- Damage caused by fire or natural disasters is not covered by the warranty.



Dimension:






Please be subject to the actual products.
No further notice will be given with regard to changes.

Assembly instruction:


Function introduction:



a	b	c	d
			
sofa leg *4PCS	tapping screw * 8PCS	bolt *4PCS	

Using instruction:

To extend the longevity of product, please read this instruction carefully before use:




Solution to small issues:

Malfuction	Reason	Solution
The sofa is not stable after placement	Four feet not evenly landed	Flatten the bottom of the sofa with a hard material
Movable parts are flexible	The connection is loose or lack lubricating oil	Tighten the screws and add some lubricating oil
Sofa creaks	The sofa feet rubs with ground	Add leather pad beneath feet
The leather or fabric surface is loose and crumpled	Squeeze during transportation	Gently pat on the leather/fabric surface to restore the outlook

Assembly instruction:

- Please determine the location of your furniture before assembly to avoid moving them for a large distance after being assembled.
- Do not place your furniture in dark and damp or hot and dry environment.
- Please check the number of packaging bags, view the product installation manual and verify the product structure.
- Please check the direction of each part when unpacking them before installation.
- Please install the product patiently. Make sure each part is in the right position. Furniture is easy to assemble, but it needs patience and care to make every part in place.
- Please check the stability of the furniture after installation. Shake your furniture gently to confirm whether it is level with the ground or whether the screw is tight.
- Please keep the furniture open for a period of time to release residual painting smell.

Note:



Q/SAYF-BD051V1.0


Sunon 圣奥

Using instruction:

Thanks for buying this product. Please read this instruction carefully before use

Product introduction

Code : 155500004
 Name : SC61.1.CN.M
 Dimension: 790*800*820*420
 Material : Premium plywood, genuine leather, fabric, hardware
 Standard : QQB/T 1952.1-2012 Soft furniture Sofa
 HJ 2547-2016 Technological requires of environment-labelled product Furniture



This product and the decorative accessories are for office use.

Zhejiang Sunon Furniture Manufacture Co., Ltd
 Service Hotline: 4008-600-666
 Website: www.sunon-china.com
 Headquarters Address: Sunon Central Buisness Building, No. 200 Citizen Street, Qianjiang CBD, Hangzhou, Zhejiang
 Manufacturing Base: No. 35, Ningdong Road, Economic and Technological Development Zone, Xiaoshan District, Hangzhou, Zhejiang
 Manufacturing Base: No. 6, Anren Road, Jianshan Economic and Technological Development Zone, Haining, Jiaxing, Zhejiang

Material:



surface	genuine leather	Premium leather, lustrous, airy, soft and resilient.
	water-based leather/ faux leather	Colorful and diversified.
	hemp soft cloth	Flame retardant, stain resistant, and not easily deformed.
filling	resilient foam	Of moderate hardness, resilient and not easily deformed.
	Latex foam	Natural Latex foam, resilient and comfortable.
	PP foam	Soft, smooth, resilient.
	silk wadding	Even and smooth.
	down	Good quality, resilient, temperature regulation function(contract and expand according to temperature).
other material	solid wood	Natural larch/masson pine wood, water contents≤12%, not easily deformed.
	artificial panel	Formaldehyde emission complies with the E0-grade of GB18580-2017.
	spring	Snake-shape spring steel wire is 3.0mm-4.0mm in diameter, resilient and meets national standard.
	toughened steel wire	Toughened steel wire is 4.0mm-6.0mm in diameter.
	aslant wood piece	The paint meets national standard, good heat resistance, strong adhesion and excellent impact resistance.
	hardware	A-level accessory, lightweight, durable and safe.

Warranty:

Sunon strictly complies with the national "three guarantees" policy (glass and mirror are not included). The warranty lasts one year (specials are not included), responses will be given within 24 hours.

- The warranty is only valid in China.
- Damage caused by improper use is not covered by the warranty.
- Damage caused by fire or natural disasters is not covered by the warranty.



Dimension:






Please be subject to the actual products.
No further notice will be given with regard to changes.

Assembly instruction:


Function introduction:



a	b	c	d
			
sofa leg *4PCS	tapping screw * 8PCS	bolt *4PCS	

Using instruction:

To extend the longevity of product, please read this instruction carefully before use:




Solution to small issues:

Malfunction	Reason	Solution
The sofa is not stable after placement	Four feet not evenly landed	Flatten the bottom of the sofa with a hard material
Movable parts are flexible	The connection is loose or lack lubricating oil	Tighten the screws and add some lubricating oil
Sofa creaks	The sofa feet rubs with ground	Add leather pad beneath feet
The leather or fabric surface is loose and crumpled	Squeeze during transportation	Gently pat on the leather/fabric surface to restore the outlook

Assembly instruction:

- Please determine the location of your furniture before assembly to avoid moving them for a large distance after being assembled.
- Do not place your furniture in dark and damp or hot and dry environment.
- Please check the number of packaging bags, view the product installation manual and verify the product structure.
- Please check the direction of each part when unpacking them before installation.
- Please install the product patiently. Make sure each part is in the right position. Furniture is easy to assemble, but it needs patience and care to make every part in place.
- Please check the stability of the furniture after installation. Shake your furniture gently to confirm whether it is level with the ground or whether the screw is tight.
- Please keep the furniture open for a period of time to release residual painting smell.

Note:




Q/SAYF-BD051V1.0

Sunon 圣奥

Thanks for buying this product. Please read this instruction carefully before use

Product introduction

Code : 155500005
 Name : SC61.3.CN.NG
 Dimension: 1900*800*820*420
 Material : Premium plywood, genuine leather, fabric, hardware
 Standard : QQB/T 1952.1-2012 Soft furniture Sofa
 HJ 2547-2016 Technological requires of environment-labelled product Furniture



This product and the decorative accessories are for office use.

Zhejiang Sunon Furniture Manufacture Co., Ltd
 Service Hotline: 4008-600-666
 Website: www.sunon-china.com
 Headquarters Address: Sunon Central Buisness Building, No. 200 Citizen Street, Qianjiang CBD, Hangzhou, Zhejiang
 Manufacturing Base: No. 35, Ningdong Road, Economic and Technological Development Zone, Xiaoshan District, Hangzhou, Zhejiang
 Manufacturing Base: No. 6, Anren Road, Jianshan Economic and Technological Development Zone, Haining, Jiaxing, Zhejiang

Material:



surface	genuine leather	Premium leather, lustrous, airy, soft and resilient.
	water-based leather/ faux leather	Colorful and diversified.
	hemp soft cloth	Flame retardant, stain resistant, and not easily deformed.
filling	resilient foam	Of moderate hardness, resilient and not easily deformed.
	Latex foam	Natural Latex foam, resilient and comfortable.
	PP foam	Soft, smooth, resilient.
	silk wadding	Even and smooth.
	down	Good quality, resilient, temperature regulation function(contract and expand according to temperature).
other material	solid wood	Natural larch/masson pine wood, water content≤12%, not easily deformed.
	artificial panel	Formaldehyde emission complies with the E0-grade of GB18580-2017.
	spring	Snake-shape spring steel wire is 3.0mm-4.0mm in diameter, resilient and meets national standard.
	toughened steel wire	Toughened steel wire is 4.0mm-6.0mm in diameter.
	aslant wood piece	The paint meets national standard, good heat resistance, strong adhesion and excellent impact resistance.
	hardware	A-level accessory, lightweight, durable and safe.

Warranty:

Sunon strictly complies with the national "three guarantees" policy (glass and mirror are not included). The warranty lasts one year(specials are not included), responses will be given within 24 hours.

- The warranty is only valid in China.
- Damage caused by improper use is not covered by the warranty.
- Damage caused by fire or natural disasters is not covered by the warranty.


Dimension:




Please be subject to the actual products.
No further notice will be given with regard to changes.

Assembly instruction:


Function introduction:



a	b	c	d
 cross flat-head screw M6*30 16PCS			
	metal leg 2PCS		

Using instruction:

To extend the longevity of product, please read this instruction carefully before use:




Solution to small issues:

Malfunction	Reason	Solution
The sofa is not stable after placement	Four feet not evenly landed	Flatten the bottom of the sofa with a hard material
Movable parts are flexible	The connection is loose or lack lubricating oil	Tighten the screws and add some lubricating oil
Sofa creaks	The sofa feet rubs with ground	Add leather pad beneath feet
The leather or fabric surface is loose and crumpled	Squeeze during transportation	Gently pat on the leather/fabric surface to restore the outlook

Assembly instruction:

- Please determine the location of your furniture before assembly to avoid moving them for a large distance after being assembled.
- Do not place your furniture in dark and damp or hot and dry environment.
- Please check the number of packaging bags, view the product installation manual and verify the product structure.
- Please check the direction of each part when unpacking them before installation.
- Please install the product patiently. Make sure each part is in the right position. Furniture is easy to assemble, but it needs patience and care to make every part in place.
- Please check the stability of the furniture after installation. Shake your furniture gently to confirm whether it is level with the ground or whether the screw is tight.
- Please keep the furniture open for a period of time to release residual painting smell.

Note:




Sunon 圣奥

Using instruction:

Thanks for buying this product. Please read this instruction carefully before use

Product introduction

Code : 155500006
Name : SC61.1.CN.NG
Dimension: 790*800*820*420
Material : Premium plywood, genuine leather, fabric, hardware
Standard : QQB/T 1952.1-2012 Soft furniture Sofa HJ 2547-2016 Technological requires of environment-labelled product Furniture



This product and the decorative accessories are for office use.

Zhejiang Sunon Furniture Manufacture Co., Ltd
Service Hotline: 4008-600-666
Website: www.sunon-china.com
Headquarters Address: Sunon Central Buisness Building, No. 200 Citizen Street, Qianjiang CBD, Hangzhou, Zhejiang
Manufacturing Base: No. 35, Ningdong Road, Economic and Technological Development Zone, Xiaoshan District, Hangzhou, Zhejiang
Manufacturing Base: No. 6, Anren Road, Jianshan Economic and Technological Development Zone, Haining, Jiaxing, Zhejiang

Material:


surface	genuine leather	Premium leather, lustrous, airy, soft and resilient.
	water-based leather/ faux leather	Colorful and diversified.
	hemp soft cloth	Flame retardant, stain resistant, and not easily deformed.
filling	resilient foam	Of moderate hardness, resilient and not easily deformed.
	Latex foam	Natural Latex foam, resilient and comfortable.
	PP foam	Soft, smooth, resilient.
	silk wadding	Even and smooth.
	down	Good quality, resilient, temperature regulation function(contract and expand according to temperature).
other material	solid wood	Natural larch/masson pine wood, water content≤12%, not easily deformed.
	artificial panel	Formaldehyde emission complies with the E0-grade of GB18580-2017.
	spring	Snake-shape spring steel wire is 3.0mm-4.0mm in diameter, resilient and meets national standard.
	toughened steel wire	Toughened steel wire is 4.0mm-6.0mm in diameter.
	aslant wood piece	The paint meets national standard, good heat resistance, strong adhesion and excellent impact resistance.
	hardware	A-level accessory, lightweight, durable and safe.

Warranty:

Sunon strictly complies with the national "three guarantees" policy (glass and mirror are not included). The warranty lasts one year(specials are not included), responses will be given within 24 hours.

- The warranty is only valid in China.
- Damage caused by improper use is not covered by the warranty.
- Damage caused by fire or natural disasters is not covered by the warranty.



Dimension:





Please be subject to the actual products.
No further notice will be given with regard to changes.

Assembly instruction:


Function introduction:



a	b	c	d
 cross flat-head screw M6*30 16PCS	 metal leg 2PCS		

Using instruction:

To extend the longevity of product, please read this instruction carefully before use:




Solution to small issues:

Malfunction	Reason	Solution
The sofa is not stable after placement	Four feet not evenly landed	Flatten the bottom of the sofa with a hard material
Movable parts are flexible	The connection is loose or lack lubricating oil	Tighten the screws and add some lubricating oil
Sofa creaks	The sofa feet rubs with ground	Add leather pad beneath feet
The leather or fabric surface is loose and crumpled	Squeeze during transportation	Gently pat on the leather/fabric surface to restore the outlook

Assembly instruction:

- Please determine the location of your furniture before assembly to avoid moving them for a large distance after being assembled.
- Do not place your furniture in dark and damp or hot and dry environment.
- Please check the number of packaging bags, view the product installation manual and verify the product structure.
- Please check the direction of each part when unpacking them before installation.
- Please install the product patiently. Make sure each part is in the right position. Furniture is easy to assemble, but it needs patience and care to make every part in place.
- Please check the stability of the furniture after installation. Shake your furniture gently to confirm whether it is level with the ground or whether the screw is tight.
- Please keep the furniture open for a period of time to release residual painting smell.

Note:




Q/SAYF-BD051V1.0

Sunon 圣奥

Thanks for buying this product. Please read this instruction carefully before use

Product introduction

Code : 155500007
 Name : SC61.3.CN.NM
 Dimension: 1920*800*820*420
 Material : Premium plywood, genuine leather, fabric, hardware
 Standard: QQB/T 1952.1-2012 Soft furniture Sofa
 HJ 2547-2016 Technological requires of environment-labelled product Furniture



This product and the decorative accessories are for office use.

Zhejiang Sunon Furniture Manufacture Co., Ltd
 Service Hotline: 4008-600-666
 Website: www.sunon-china.com
 Headquarters Address: Sunon Central Buisness Building, No. 200 Citizen Street, Qianjiang CBD, Hangzhou, Zhejiang
 Manufacturing Base: No. 35, Ningdong Road, Economic and Technological Development Zone, Xiaoshan District, Hangzhou, Zhejiang
 Manufacturing Base: No. 6, Anren Road, Jianshan Economic and Technological Development Zone, Haining, Jiaxing, Zhejiang

Material:



surface	genuine leather	Premium leather, lustrous, airy, soft and resilient.
	water-based leather/ faux leather	Colorful and diversified.
	hemp soft cloth	Flame retardant, stain resistant, and not easily deformed.
filling	resilient foam	Of moderate hardness, resilient and not easily deformed.
	Latex foam	Natural Latex foam, resilient and comfortable.
	PP foam	Soft, smooth, resilient.
	silk wadding	Even and smooth.
	down	Good quality, resilient, temperature regulation function(contract and expand according to temperature).
other material	solid wood	Natural larch/masson pine wood, water content≤12%, not easily deformed.
	artificial panel	Formaldehyde emission complies with the E0-grade of GB18580-2017.
	spring	Snake-shape spring steel wire is 3.0mm-4.0mm in diameter, resilient and meets national standard.
	toughened steel wire	Toughened steel wire is 4.0mm-6.0mm in diameter.
	aslant wood piece	The paint meets national standard, good heat resistance, strong adhesion and excellent impact resistance.
	hardware	A-level accessory, lightweight, durable and safe.

Warranty:

Sunon strictly complies with the national "three guarantees" policy (glass and mirror are not included). The warranty lasts one year(specials are not included), responses will be given within 24 hours.

- The warranty is only valid in China.
- Damage caused by improper use is not covered by the warranty.
- Damage caused by fire or natural disasters is not covered by the warranty.



Dimension:






Please be subject to the actual products.
No further notice will be given with regard to changes.

Assembly instruction:


Function introduction:



a	b	c	d
			
sofa leg *4PCS	tapping screw * 8PCS	bolt *4PCS	

Using instruction:

To extend the longevity of product, please read this instruction carefully before use:




Solution to small issues:

Malfunction	Reason	Solution
The sofa is not stable after placement	Four feet not evenly landed	Flatten the bottom of the sofa with a hard material
Movable parts are flexible	The connection is loose or lack lubricating oil	Tighten the screws and add some lubricating oil
Sofa creaks	The sofa feet rubs with ground	Add leather pad beneath feet
The leather or fabric surface is loose and crumpled	Squeeze during transportation	Gently pat on the leather/fabric surface to restore the outlook

Assembly instruction:

- Please determine the location of your furniture before assembly to avoid moving them for a large distance after being assembled.
- Do not place your furniture in dark and damp or hot and dry environment.
- Please check the number of packaging bags, view the product installation manual and verify the product structure.
- Please check the direction of each part when unpacking them before installation.
- Please install the product patiently. Make sure each part is in the right position. Furniture is easy to assemble, but it needs patience and care to make every part in place.
- Please check the stability of the furniture after installation. Shake your furniture gently to confirm whether it is level with the ground or whether the screw is tight.
- Please keep the furniture open for a period of time to release residual painting smell.

Note:




Sunon 圣奥

Thanks for buying this product. Please read this instruction carefully before use

Product introduction

Code : 155500008
 Name : SC61.1.CN.NM
 Dimension : 790*800*820*420
 Material : Premium plywood, genuine leather, fabric, hardware
 Standard : QQB/T 1952.1-2012 Soft furniture Sofa
 HJ 2547-2016 Technological requires of environment-labelled product Furniture



This product and the decorative accessories are for office use.

Zhejiang Sunon Furniture Manufacture Co., Ltd
 Service Hotline: 4008-600-666
 Website: www.sunon-china.com
 Headquarters Address: Sunon Central Buisness Building, No. 200 Citizen Street, Qianjiang CBD, Hangzhou, Zhejiang
 Manufacturing Base: No. 35, Ningdong Road, Economic and Technological Development Zone, Xiaoshan District, Hangzhou, Zhejiang
 Manufacturing Base: No. 6, Anren Road, Jianshan Economic and Technological Development Zone, Haining, Jiaxing, Zhejiang

Material:


surface	genuine leather	Premium leather, lustrous, airy, soft and resilient.
	water-based leather/ faux leather	Colorful and diversified.
	hemp soft cloth	Flame retardant, stain resistant, and not easily deformed.
filling	resilient foam	Of moderate hardness, resilient and not easily deformed.
	Latex foam	Natural Latex foam, resilient and comfortable.
	PP foam	Soft, smooth, resilient.
	silk wadding	Even and smooth.
	down	Good quality, resilient, temperature regulation function(contract and expand according to temperature).
other material	solid wood	Natural larch/masson pine wood, water contents≤12%, not easily deformed.
	artificial panel	Formaldehyde emission complies with the E0-grade of GB18580-2017.
	spring	Snake-shape spring steel wire is 3.0mm-4.0mm in diameter, resilient and meets national standard.
	toughened steel wire	Toughened steel wire is 4.0mm-6.0mm in diameter.
	aslant wood piece	The paint meets national standard, good heat resistance, strong adhesion and excellent impact resistance.
	hardware	A-level accessory, lightweight, durable and safe.

Warranty:

Sunon strictly complies with the national "three guarantees" policy (glass and mirror are not included). The warranty lasts one year(specials are not included), responses will be given within 24 hours.

- The warranty is only valid in China.
- Damage caused by improper use is not covered by the warranty.
- Damage caused by fire or natural disasters is not covered by the warranty.


Dimension:






Please be subject to the actual products.
No further notice will be given with regard to
changes.

Assembly instruction:


Function introduction:



a	b	c	d
			
sofa leg *4PCS	tapping screw * 8PCS	bolt *4PCS	

Using instruction:

To extend the longevity of product, please read this instruction carefully before use:




Solution to small issues:

Malfunction	Reason	Solution
The sofa is not stable after placement	Four feet not evenly landed	Flatten the bottom of the sofa with a hard material
Movable parts are flexible	The connection is loose or lack lubricating oil	Tighten the screws and add some lubricating oil
Sofa creaks	The sofa feet rubs with ground	Add leather pad beneath feet
The leather or fabric surface is loose and crumpled	Squeeze during transportation	Gently pat on the leather/fabric surface to restore the outlook

Assembly instruction:

- Please determine the location of your furniture before assembly to avoid moving them for a large distance after being assembled.
- Do not place your furniture in dark and damp or hot and dry environment.
- Please check the number of packaging bags, view the product installation manual and verify the product structure.
- Please check the direction of each part when unpacking them before installation.
- Please install the product patiently. Make sure each part is in the right position. Furniture is easy to assemble, but it needs patience and care to make every part in place.
- Please check the stability of the furniture after installation. Shake your furniture gently to confirm whether it is level with the ground or whether the screw is tight.
- Please keep the furniture open for a period of time to release residual painting smell.

Note:



Q/SAYF-BD051V1.0


Sunon 圣奥

Using instruction:

Thanks for buying this product. Please read this instruction carefully before use

Product introduction

Code : 155500009
 Name : SC61.3.WP.G
 Dimension: 1900*800*820*420
 Material : Premium plywood, genuine leather, fabric, hardware
 Standard : QQB/T 1952.1-2012 Soft furniture Sofa
 HJ 2547-2016 Technological requires of environment-labelled product Furniture



This product and the decorative accessories are for office use.

Zhejiang Sunon Furniture Manufacture Co., Ltd
 Service Hotline: 4008-600-666
 Website: www.sunon-china.com
 Headquarters Address: Sunon Central Buissness Building, No. 200 Citizen Street, Qianjiang CBD, Hangzhou, Zhejiang
 Manufacturing Base: No. 35, Ningdong Road, Economic and Technological Development Zone, Xiaoshan District, Hangzhou, Zhejiang
 Manufacturing Base: No. 6, Anren Road, Jianshan Economic and Technological Development Zone, Haining, Jiaxing, Zhejiang

Material:



surface	genuine leather	Premium leather, lustrous, airy, soft and resilient.
	water-based leather/ faux leather	Colorful and diversified.
	hemp soft cloth	Flame retardant, stain resistant, and not easily deformed.
filling	resilient foam	Of moderate hardness, resilient and not easily deformed.
	Latex foam	Natural Latex foam, resilient and comfortable.
	PP foam	Soft, smooth, resilient.
	silk wadding	Even and smooth.
	down	Good quality, resilient, temperature regulation function(contract and expand according to temperature).
other material	solid wood	Natural larch/masson pine wood, water content≤12%, not easily deformed.
	artificial panel	Formaldehyde emission complies with the E0-grade of GB18580-2017.
	spring	Snake-shape spring steel wire is 3.0mm-4.0mm in diameter, resilient and meets national standard.
	toughened steel wire	Toughened steel wire is 4.0mm-6.0mm in diameter.
	aslant wood piece	The paint meets national standard, good heat resistance, strong adhesion and excellent impact resistance.
	hardware	A-level accessory, lightweight, durable and safe.

Warranty:

Sunon strictly complies with the national "three guarantees" policy (glass and mirror are not included). The warranty lasts one year (specials are not included), responses will be given within 24 hours.

- The warranty is only valid in China.
- Damage caused by improper use is not covered by the warranty.
- Damage caused by fire or natural disasters is not covered by the warranty.



Dimension:




Please be subject to the actual products.
No further notice will be given with regard to
changes.

Assembly instruction:


Function introduction:



a	b	c	d
 cross flat-head screw M6*30 16PCS			

Using instruction:

To extend the longevity of product, please read this instruction carefully before use:




Solution to small issues:

Malfunction	Reason	Solution
The sofa is not stable after placement	Four feet not evenly landed	Flatten the bottom of the sofa with a hard material
Movable parts are flexible	The connection is loose or lack lubricating oil	Tighten the screws and add some lubricating oil
Sofa creaks	The sofa feet rubs with ground	Add leather pad beneath feet
The leather or fabric surface is loose and crumpled	Squeeze during transportation	Gently pat on the leather/fabric surface to restore the outlook

Assembly instruction:

- Please determine the location of your furniture before assembly to avoid moving them for a large distance after being assembled.
- Do not place your furniture in dark and damp or hot and dry environment.
- Please check the number of packaging bags, view the product installation manual and verify the product structure.
- Please check the direction of each part when unpacking them before installation.
- Please install the product patiently. Make sure each part is in the right position. Furniture is easy to assemble, but it needs patience and care to make every part in place.
- Please check the stability of the furniture after installation. Shake your furniture gently to confirm whether it is level with the ground or whether the screw is tight.
- Please keep the furniture open for a period of time to release residual painting smell.

Note:




Sunon 圣奥

Thanks for buying this product. Please read this instruction carefully before use

Product introduction

Code : 155500010
 Name : SC61.1.WP.G
 Dimension : 790*800*820*420
 Material : Premium plywood, genuine leather, fabric, hardware
 Standard : QQB/T 1952.1-2012 Soft furniture Sofa
 HJ 2547-2016 Technological requires of environment-labelled product Furniture



This product and the decorative accessories are for office use.

Zhejiang Sunon Furniture Manufacture Co., Ltd
 Service Hotline: 4008-600-666
 Website: www.sunon-china.com
 Headquarters Address: Sunon Central Buisness Building, No. 200 Citizen Street, Qianjiang CBD, Hangzhou, Zhejiang
 Manufacturing Base: No. 35, Ningdong Road, Economic and Technological Development Zone, Xiaoshan District, Hangzhou, Zhejiang
 Manufacturing Base: No. 6, Anren Road, Jianshan Economic and Technological Development Zone, Haining, Jiaxing, Zhejiang

Material:


surface	genuine leather	Premium leather, lustrous, airy, soft and resilient.
	water-based leather/ faux leather	Colorful and diversified.
	hemp soft cloth	Flame retardant, stain resistant, and not easily deformed.
filling	resilient foam	Of moderate hardness, resilient and not easily deformed.
	Latex foam	Natural Latex foam, resilient and comfortable.
	PP foam	Soft, smooth, resilient.
	silk wadding	Even and smooth.
	down	Good quality, resilient, temperature regulation function(contract and expand according to temperature).
other material	solid wood	Natural larch/masson pine wood, water content≤12%, not easily deformed.
	artificial panel	Formaldehyde emission complies with the E0-grade of GB18580-2017.
	spring	Snake-shape spring steel wire is 3.0mm-4.0mm in diameter, resilient and meets national standard.
	toughened steel wire	Toughened steel wire is 4.0mm-6.0mm in diameter.
	aslant wood piece	The paint meets national standard, good heat resistance, strong adhesion and excellent impact resistance.
	hardware	A-level accessory, lightweight, durable and safe.

Warranty:

Sunon strictly complies with the national "three guarantees" policy (glass and mirror are not included). The warranty lasts one year(specials are not included), responses will be given within 24 hours.

- The warranty is only valid in China.
- Damage caused by improper use is not covered by the warranty.
- Damage caused by fire or natural disasters is not covered by the warranty.




Dimension:





Please be subject to the actual products.
No further notice will be given with regard to changes.

Assembly instruction:


Function introduction:



a	b	c	d
 cross flat-head screw M6*30 16PCS	 metal leg 2PCS		

Using instruction:

To extend the longevity of product, please read this instruction carefully before use:




Solution to small issues:

Malfunction	Reason	Solution
The sofa is not stable after placement	Four feet not evenly landed	Flatten the bottom of the sofa with a hard material
Movable parts are flexible	The connection is loose or lack lubricating oil	Tighten the screws and add some lubricating oil
Sofa creaks	The sofa feet rubs with ground	Add leather pad beneath feet
The leather or fabric surface is loose and crumpled	Squeeze during transportation	Gently pat on the leather/fabric surface to restore the outlook

Assembly instruction:

- Please determine the location of your furniture before assembly to avoid moving them for a large distance after being assembled.
- Do not place your furniture in dark and damp or hot and dry environment.
- Please check the number of packaging bags, view the product installation manual and verify the product structure.
- Please check the direction of each part when unpacking them before installation.
- Please install the product patiently. Make sure each part is in the right position. Furniture is easy to assemble, but it needs patience and care to make every part in place.
- Please check the stability of the furniture after installation. Shake your furniture gently to confirm whether it is level with the ground or whether the screw is tight.
- Please keep the furniture open for a period of time to release residual painting smell.

Note:



Sunon 圣奥

Q/SAYF-BD051V1.0


Thanks for buying this product. Please read this instruction carefully before use

Product introduction

Code: 155500011
Name : SC61.3.WP.M
Dimension: 1900*800*820*420
Material : Premium plywood, genuine leather, fabric, hardware
Standard : QQB/T 1952.1-2012 Soft furniture Sofa
HJ 2547-2016 Technological requires of environment-labelled product Furniture

This product and the decorative accessories are for office use.

Zhejiang Sunon Furniture Manufacture Co., Ltd
Service Hotline: 4008-600-666
Website: www.sunon-china.com
Headquarters Address: Sunon Central Buisness Building, No. 200 Citizen Street, Qianjiang CBD, Hangzhou, Zhejiang
Manufacturing Base: No. 35, Ningdong Road, Economic and Technological Development Zone, Xiaoshan District, Hangzhou, Zhejiang
Manufacturing Base: No. 6, Anren Road, Jianshan Economic and Technological Development Zone, Haining, Jiaxing, Zhejiang



Material:



surface	genuine leather	Premium leather, lustrous, airy, soft and resilient.
	water-based leather/ faux leather	Colorful and diversified.
	hemp soft cloth	Flame retardant, stain resistant, and not easily deformed.
filling	resilient foam	Of moderate hardness, resilient and not easily deformed.
	Latex foam	Natural Latex foam, resilient and comfortable.
	PP foam	Soft, smooth, resilient.
	silk wadding	Even and smooth.
	down	Good quality, resilient, temperature regulation function(contract and expand according to temperature).
other material	solid wood	Natural larch/masson pine wood, water content≤12%, not easily deformed.
	artificial panel	Formaldehyde emission complies with the E0-grade of GB18580-2017.
	spring	Snake-shape spring steel wire is 3.0mm-4.0mm in diameter, resilient and meets national standard.
	toughened steel wire	Toughened steel wire is 4.0mm-6.0mm in diameter.
	aslant wood piece	The paint meets national standard, good heat resistance, strong adhesion and excellent impact resistance.
	hardware	A-level accessory, lightweight, durable and safe.

Warranty:

Sunon strictly complies with the national "three guarantees" policy (glass and mirror are not included). The warranty lasts one year (specials are not included), responses will be given within 24 hours.

- The warranty is only valid in China.
- Damage caused by improper use is not covered by the warranty.
- Damage caused by fire or natural disasters is not covered by the warranty.



Dimension:






Please be subject to the actual products.
No further notice will be given with regard to
changes.

Assembly instruction:


Function introduction:



a	b	c	d
			
sofa leg *4PCS	tapping screw * 8PCS	bolt *4PCS	

Using instruction:

To extend the longevity of product, please read this instruction carefully before use:




Solution to small issues:

Malfunction	Reason	Solution
The sofa is not stable after placement	Four feet not evenly landed	Flatten the bottom of the sofa with a hard material
Movable parts are flexible	The connection is loose or lack lubricating oil	Tighten the screws and add some lubricating oil
Sofa creaks	The sofa feet rubs with ground	Add leather pad beneath feet
The leather or fabric surface is loose and crumpled	Squeeze during transportation	Gently pat on the leather/fabric surface to restore the outlook

Assembly instruction:

- Please determine the location of your furniture before assembly to avoid moving them for a large distance after being assembled.
- Do not place your furniture in dark and damp or hot and dry environment.
- Please check the number of packaging bags, view the product installation manual and verify the product structure.
- Please check the direction of each part when unpacking them before installation.
- Please install the product patiently. Make sure each part is in the right position. Furniture is easy to assemble, but it needs patience and care to make every part in place.
- Please check the stability of the furniture after installation. Shake your furniture gently to confirm whether it is level with the ground or whether the screw is tight.
- Please keep the furniture open for a period of time to release residual painting smell.

Note:



Q/SAYF-BD051V1.0


Sunon 圣奥

Using instruction:

Thanks for buying this product. Please read this instruction carefully before use

Product introduction

Code : 155500012
Name : SC61.1.WP.M
Dimension : 790*800*820*420
Material : Premium plywood, genuine leather, fabric, hardware
Standard : QQB/T 1952.1-2012 Soft furniture Sofa
HJ 2547-2016 Technological requires of environment-labelled product Furniture



This product and the decorative accessories are for office use.

Zhejiang Sunon Furniture Manufacture Co., Ltd
Service Hotline: 4008-600-666
Website: www.sunon-china.com
Headquarters Address: Sunon Central Buissness Building, No. 200 Citizen Street, Qianjiang CBD, Hangzhou, Zhejiang
Manufacturing Base: No. 35, Ningdong Road, Economic and Technological Development Zone, Xiaoshan District, Hangzhou, Zhejiang
Manufacturing Base: No. 6, Anren Road, Jianshan Economic and Technological Development Zone, Haining, Jiaxing, Zhejiang

Material:



surface	genuine leather	Premium leather, lustrous, airy, soft and resilient.
	water-based leather/ faux leather	Colorful and diversified.
	hemp soft cloth	Flame retardant, stain resistant, and not easily deformed.
filling	resilient foam	Of moderate hardness, resilient and not easily deformed.
	Latex foam	Natural Latex foam, resilient and comfortable.
	PP foam	Soft, smooth, resilient.
	silk wadding	Even and smooth.
	down	Good quality, resilient, temperature regulation function(contract and expand according to temperature).
other material	solid wood	Natural larch/masson pine wood, water content≤12%, not easily deformed.
	artificial panel	Formaldehyde emission complies with the E0-grade of GB18580-2017.
	spring	Snake-shape spring steel wire is 3.0mm-4.0mm in diameter, resilient and meets national standard.
	toughened steel wire	Toughened steel wire is 4.0mm-6.0mm in diameter.
	aslant wood piece	The paint meets national standard, good heat resistance, strong adhesion and excellent impact resistance.
	hardware	A-level accessory, lightweight, durable and safe.

Warranty:

Sunon strictly complies with the national "three guarantees" policy (glass and mirror are not included). The warranty lasts one year(specials are not included), responses will be given within 24 hours.

- The warranty is only valid in China.
- Damage caused by improper use is not covered by the warranty.
- Damage caused by fire or natural disasters is not covered by the warranty.



Dimension:






Please be subject to the actual products.
No further notice will be given with regard to changes.

Assembly instruction:


Function introduction:



a	b	c	d
			
sofa leg *4PCS	lapping screw * 8PCS	bolt *4PCS	

Using instruction:

To extend the longevity of product, please read this instruction carefully before use:




Solution to small issues:

Malfunction	Reason	Solution
The sofa is not stable after placement	Four feet not evenly landed	Flatten the bottom of the sofa with a hard material
Movable parts are flexible	The connection is loose or lack lubricating oil	Tighten the screws and add some lubricating oil
Sofa creaks	The sofa feet rubs with ground	Add leather pad beneath feet
The leather or fabric surface is loose and crumpled	Squeeze during transportation	Gently pat on the leather/fabric surface to restore the outlook

Assembly instruction:

- Please determine the location of your furniture before assembly to avoid moving them for a large distance after being assembled.
- Do not place your furniture in dark and damp or hot and dry environment.
- Please check the number of packaging bags, view the product installation manual and verify the product structure.
- Please check the direction of each part when unpacking them before installation.
- Please install the product patiently. Make sure each part is in the right position. Furniture is easy to assemble, but it needs patience and care to make every part in place.
- Please check the stability of the furniture after installation. Shake your furniture gently to confirm whether it is level with the ground or whether the screw is tight.
- Please keep the furniture open for a period of time to release residual painting smell.

Note:



Sunon 圣奥


Product introduction

Code : 155500013
 Name : SC61.3.MR.G
 Dimension: 1900*800*820*420
 Material : Premium plywood, genuine leather, fabric, hardware
 Standard : QQB/T 1952.1-2012 Soft furniture Sofa
 HJ 2547-2016 Technological requires of environment-labelled product Furniture

This product and the decorative accessories are for office use.

Zhejiang Sunon Furniture Manufacture Co., Ltd
 Service Hotline: 4008-600-666
 Website: www.sunon-china.com
 Headquarters Address: Sunon Central Buisness Building, No. 200 Citizen Street, Qianjiang CBD, Hangzhou, Zhejiang
 Manufacturing Base: No. 35, Ningdong Road, Economic and Technological Development Zone, Xiaoshan District, Hangzhou, Zhejiang
 Manufacturing Base: No. 6, Anren Road, Jianshan Economic and Technological Development Zone, Haining, Jiaxing, Zhejiang

Thanks for buying this product. Please read this instruction carefully before use



Material:



surface	genuine leather	Premium leather, lustrous, airy, soft and resilient.
	water-based leather/ faux leather	Colorful and diversified.
	hemp soft cloth	Flame retardant, stain resistant, and not easily deformed.
filling	resilient foam	Of moderate hardness, resilient and not easily deformed.
	Latex foam	Natural Latex foam, resilient and comfortable.
	PP foam	Soft, smooth, resilient.
	silk wadding	Even and smooth.
	down	Good quality, resilient, temperature regulation function(contract and expand according to temperature).
other material	solid wood	Natural larch/masson pine wood, water contents≤12%, not easily deformed.
	artificial panel	Formaldehyde emission complies with the E0-grade of GB18580-2017.
	spring	Snake-shape spring steel wire is 3.0mm-4.0mm in diameter, resilient and meets national standard.
	toughened steel wire	Toughened steel wire is 4.0mm-6.0mm in diameter.
	aslant wood piece	The paint meets national standard, good heat resistance, strong adhesion and excellent impact resistance.
	hardware	A-level accessory, lightweight, durable and safe.

Warranty:

Sunon strictly complies with the national "three guarantees" policy (glass and mirror are not included). The warranty lasts one year(specials are not included), responses will be given within 24 hours.

- The warranty is only valid in China.
- Damage caused by improper use is not covered by the warranty.
- Damage caused by fire or natural disasters is not covered by the warranty.



Dimension:




Please be subject to the actual products.
No further notice will be given with regard to changes.

Assembly instruction:

Function introduction:




a	b	c	d
 cross flat-head screw M6*30 16PCS			

metal lag 2PCS

Using instruction:

To extend the longevity of product, please read this instruction carefully before use:




Solution to small issues:

Malfunction	Reason	Solution
The sofa is not stable after placement	Four feet not evenly landed	Flatten the bottom of the sofa with a hard material
Movable parts are flexible	The connection is loose or lack lubricating oil	Tighten the screws and add some lubricating oil
Sofa creaks	The sofa feet rubs with ground	Add leather pad beneath feet
The leather or fabric surface is loose and crumpled	Squeeze during transportation	Gently pat on the leather/fabric surface to restore the outlook

Assembly instruction:

- Please determine the location of your furniture before assembly to avoid moving them for a large distance after being assembled.
- Do not place your furniture in dark and damp or hot and dry environment.
- Please check the number of packaging bags, view the product installation manual and verify the product structure.
- Please check the direction of each part when unpacking them before installation.
- Please install the product patiently. Make sure each part is in the right position. Furniture is easy to assemble, but it needs patience and care to make every part in place.
- Please check the stability of the furniture after installation. Shake your furniture gently to confirm whether it is level with the ground or whether the screw is tight.
- Please keep the furniture open for a period of time to release residual painting smell.

Note:




Sunon 圣奥

Thanks for buying this product. Please read this instruction carefully before use

Product introduction

Code : 155500014
 Name : SC61.1.MR.G
 Dimension: 790*800*820*420
 Material : Premium plywood, genuine leather, fabric, hardware
 Standard : QQB/T 1952.1-2012 Soft furniture Sofa
 HJ 2547-2016 Technological requires of environment-labelled product Furniture



This product and the decorative accessories are for office use.

Zhejiang Sunon Furniture Manufacture Co., Ltd
 Service Hotline: 4008-600-666
 Website: www.sunon-china.com
 Headquarters Address: Sunon Central Buisness Building, No. 200 Citizen Street, Qianjiang CBD, Hangzhou, Zhejiang
 Manufacturing Base: No. 35, Ningdong Road, Economic and Technological Development Zone, Xiaoshan District, Hangzhou, Zhejiang
 Manufacturing Base: No. 6, Anren Road, Jianshan Economic and Technological Development Zone, Haining, Jiaxing, Zhejiang

Material:



surface	genuine leather	Premium leather, lustrous, airy, soft and resilient.
	water-based leather/ faux leather	Colorful and diversified.
	hemp soft cloth	Flame retardant, stain resistant, and not easily deformed.
filling	resilient foam	Of moderate hardness, resilient and not easily deformed.
	Latex foam	Natural Latex foam, resilient and comfortable.
	PP foam	Soft, smooth, resilient.
	silk wadding	Even and smooth.
	down	Good quality, resilient, temperature regulation function(contract and expand according to temperature).
other material	solid wood	Natural larch/masson pine wood, water content≤12%, not easily deformed.
	artificial panel	Formaldehyde emission complies with the E0-grade of GB18580-2017.
	spring	Snake-shape spring steel wire is 3.0mm-4.0mm in diameter, resilient and meets national standard.
	toughened steel wire	Toughened steel wire is 4.0mm-6.0mm in diameter.
	aslant wood piece	The paint meets national standard, good heat resistance, strong adhesion and excellent impact resistance.
	hardware	A-level accessory, lightweight, durable and safe.

Warranty:

Sunon strictly complies with the national "three guarantees" policy (glass and mirror are not included). The warranty lasts one year(specials are not included), responses will be given within 24 hours.

- The warranty is only valid in China.
- Damage caused by improper use is not covered by the warranty.
- Damage caused by fire or natural disasters is not covered by the warranty.




Dimension:





Please be subject to the actual products.
No further notice will be given with regard to changes.

Assembly instruction:


Function introduction:



a	b	c	d
 cross flat-head screw M6*30 16PCS	 metal leg 2PCS		

Using instruction:

To extend the longevity of product, please read this instruction carefully before use:




Solution to small issues:

Malfuction	Reason	Solution
The sofa is not stable after placement	Four feet not evenly landed	Flatten the bottom of the sofa with a hard material
Movable parts are flexible	The connection is loose or lack lubricating oil	Tighten the screws and add some lubricating oil
Sofa creaks	The sofa feet rubs with ground	Add leather pad beneath feet
The leather or fabric surface is loose and crumpled	Squeeze during transportation	Gently pat on the leather/fabric surface to restore the outlook

Assembly instruction:

- Please determine the location of your furniture before assembly to avoid moving them for a large distance after being assembled.
- Do not place your furniture in dark and damp or hot and dry environment.
- Please check the number of packaging bags, view the product installation manual and verify the product structure.
- Please check the direction of each part when unpacking them before installation.
- Please install the product patiently. Make sure each part is in the right position. Furniture is easy to assemble, but it needs patience and care to make every part in place.
- Please check the stability of the furniture after installation. Shake your furniture gently to confirm whether it is level with the ground or whether the screw is tight.
- Please keep the furniture open for a period of time to release residual painting smell.

Note:



① At least two people are required.

③ Contact Sunon if you have any confusions.

Q/SAYF-BD051V1.0

Sunon 圣奥

Using instruction:


Thanks for buying this product. Please read this instruction carefully before use

Product introduction

Code : 155500015
 Name : SC61.3.MR.M
 Dimension: 1900*800*820*420
 Material : Premium plywood, genuine leather, fabric, hardware
 Standard : QQB/T 1952.1-2012 Soft furniture Sofa
 HJ 2547-2016 Technological requires of environment-labelled product Furniture

This product and the decorative accessories are for office use.

Zhejiang Sunon Furniture Manufacture Co., Ltd
 Service Hotline: 4008-600-666
 Website: www.sunon-china.com
 Headquarters Address: Sunon Central Buissness Building, No. 200 Citizen Street, Qianjiang CBD, Hangzhou, Zhejiang
 Manufacturing Base: No. 35, Ningdong Road, Economic and Technological Development Zone, Xiaoshan District, Hangzhou, Zhejiang
 Manufacturing Base: No. 6, Anren Road, Jianshan Economic and Technological Development Zone, Haining, Jiaxing, Zhejiang



Material:



surface	genuine leather	Premium leather, lustrous, airy, soft and resilient.
	water-based leather/ faux leather	Colorful and diversified.
	hemp soft cloth	Flame retardant, stain resistant, and not easily deformed.
filling	resilient foam	Of moderate hardness, resilient and not easily deformed.
	Latex foam	Natural Latex foam, resilient and comfortable.
	PP foam	Soft, smooth, resilient.
	silk wadding	Even and smooth.
	down	Good quality, resilient, temperature regulation function(contract and expand according to temperature).
other material	solid wood	Natural larch/masson pine wood, water contents≤12%, not easily deformed.
	artificial panel	Formaldehyde emission complies with the E0-grade of GB18580-2017.
	spring	Snake-shape spring steel wire is 3.0mm-4.0mm in diameter, resilient and meets national standard.
	toughened steel wire	Toughened steel wire is 4.0mm-6.0mm in diameter.
	aslant wood piece	The paint meets national standard, good heat resistance, strong adhesion and excellent impact resistance.
	hardware	A-level accessory, lightweight, durable and safe.

Warranty:

Sunon strictly complies with the national "three guarantees" policy (glass and mirror are not included). The warranty lasts one year(specials are not included), responses will be given within 24 hours.

- The warranty is only valid in China.
- Damage caused by improper use is not covered by the warranty.
- Damage caused by fire or natural disasters is not covered by the warranty.



Dimension:






Please be subject to the actual products.
No further notice will be given with regard to
changes.

Assembly instruction:


Function introduction:



a	b	c	d
			
sofa leg *4PCS	tapping screw * 8PCS	bolt *4PCS	

Using instruction:

To extend the longevity of product, please read this instruction carefully before use:




Solution to small issues:

Malfuction	Reason	Solution
The sofa is not stable after placement	Four feet not evenly landed	Flatten the bottom of the sofa with a hard material
Movable parts are flexible	The connection is loose or lack lubricating oil	Tighten the screws and add some lubricating oil
Sofa creaks	The sofa feet rubs with ground	Add leather pad beneath feet
The leather or fabric surface is loose and crumpled	Squeeze during transportation	Gently pat on the leather/fabric surface to restore the outlook

Assembly instruction:

- Please determine the location of your furniture before assembly to avoid moving them for a large distance after being assembled.
- Do not place your furniture in dark and damp or hot and dry environment.
- Please check the number of packaging bags, view the product installation manual and verify the product structure.
- Please check the direction of each part when unpacking them before installation.
- Please install the product patiently. Make sure each part is in the right position. Furniture is easy to assemble, but it needs patience and care to make every part in place.
- Please check the stability of the furniture after installation. Shake your furniture gently to confirm whether it is level with the ground or whether the screw is tight.
- Please keep the furniture open for a period of time to release residual painting smell.

Note:




Sunon 圣奥

Using instruction:

Thanks for buying this product. Please read this instruction carefully before use

Product introduction

Code : 155500016
 Name : SC61.1.MR.M
 Dimension: 790*800*820*420
 Material : Premium plywood, genuine leather, fabric, hardware
 Standard : QQB/T 1952.1-2012 Soft furniture Sofa
 HJ 2547-2016 Technological requires of environment-labelled product Furniture



This product and the decorative accessories are for office use.

Zhejiang Sunon Furniture Manufacture Co., Ltd
 Service Hotline: 4008-600-666
 Website: www.sunon-china.com
 Headquarters Address: Sunon Central Buisness Building, No. 200 Citizen Street, Qianjiang CBD, Hangzhou, Zhejiang
 Manufacturing Base: No. 35, Ningdong Road, Economic and Technological Development Zone, Xiaoshan District, Hangzhou, Zhejiang
 Manufacturing Base: No. 6, Anren Road, Jianshan Economic and Technological Development Zone, Haining, Jiaxing, Zhejiang

Material:



surface	genuine leather	Premium leather, lustrous, airy, soft and resilient.
	water-based leather/ faux leather	Colorful and diversified.
	hemp soft cloth	Flame retardant, stain resistant, and not easily deformed.
filling	resilient foam	Of moderate hardness, resilient and not easily deformed.
	Latex foam	Natural Latex foam, resilient and comfortable.
	PP foam	Soft, smooth, resilient.
	silk wadding	Even and smooth.
	down	Good quality, resilient, temperature regulation function(contract and expand according to temperature).
other material	solid wood	Natural larch/masson pine wood, water contents \leq 12%, not easily deformed.
	artificial panel	Formaldehyde emission complies with the E0-grade of GB18580-2017.
	spring	Snake-shape spring steel wire is 3.0mm-4.0mm in diameter, resilient and meets national standard.
	toughened steel wire	Toughened steel wire is 4.0mm-6.0mm in diameter.
	aslant wood piece	The paint meets national standard, good heat resistance, strong adhesion and excellent impact resistance.
	hardware	A-level accessory, lightweight, durable and safe.

Warranty:

Sunon strictly complies with the national "three guarantees" policy (glass and mirror are not included). The warranty lasts one year(specials are not included), responses will be given within 24 hours.

- The warranty is only valid in China.
- Damage caused by improper use is not covered by the warranty.
- Damage caused by fire or natural disasters is not covered by the warranty.



Dimension:






Please be subject to the actual products.
No further notice will be given with regard to changes.

Assembly instruction:

Function introduction:



a	b	c	d
 sofa leg*4PCS	 tapping screw* 8PCS	 bolt *4PCS	